

Illinois Environmental Protection Agency P.O. Box 19276, Springfield, IL 62794-9276

618/346-5120

1630450034 -- St. Clair County E. St. Louis/Pfizer, Inc. ILD006317119 Compliance File

EPA Region 5 Records Ctr.

Certified #: \$131 205 622

April 7, 1989

Pfizer, Inc. Attn: Chris Dorow Environmental Engineer 2001 Lynch Ave. E. St. Louis, IL 62205

Dear Mr. Dorow:

On February 1, 1989, your facility was inspected by Wendy Schaufelberger representing the Illinois Environmental Protection Agency. The purpose of this inspection was to determine your facility's compliance with 35 Ill. Adm. Code, Part 703 through 725. A copy of the inspection report is enclosed.

Based on information obtained at the time of the inspection, it appears your facility is presently not regulated as a generator, storer or treater under 35 Ill. Adm. Code, Part 703 through 725.

Therefore, you should request in writing within 30 days of the date of this letter to withdraw your EPA Notification Form 8700-12.

This request should be sent to the following:

Illinois Environmental Protection Agency Division of Land Pollution Control #24 Information Management Section 2200 Churchill Road Springfield, Il 62794

Attn: Mike Walwer

If, however, you wish to retain your Federal I.D. number for possible future use, please document your intent in a letter to this office within 30 days.

In either event, this documentation will be used to code your facility as a non-handler at the present time. Should you handle waste in the future, you will have to comply with the applicable requirements of 35 Ill. Adm. Code, Part 703



April 7, 1989 Page 2

through 725. You would also be required to send a letter to the Illinois Environmental Protection Agency Division of Land Pollution, 2200 Churchill Road, Springfield, IL 62794 requesting your I.D. number be returned to active status.

If you have any questions, please contact Wendy Schaufelberger at 618/346-5120.

Sincerely,

Menn D. Savage
Glenn D. Savage, Section Manager

Field Operation Section

Division of Land Pollution Control

GOS/TAH: lhe

Enclosure

cc: Wendy Schaufelberger -- Collinsville Region

Division File Chris Nifong Tom Henninger

"USEFA Numi	oer: Z	LD006317	119		·V LEPA	A Number: 16:	30450034
Facility N	Name: _	Przer	Inc.				
Street: City: F	2001 -as-15 57	Lynch Louis Clair	Aye.	Sta	Tele	phone: <u>6/8/</u> ip Code: <u>62</u>	271-470 205
				· ·	Y 1	ed As: <u>Non-</u> p Required?	,
Region: () Weather ()	Dat DF On 1	e of Inspe ly):	ection: \(\frac{1}{40°}\)\(\text{Over}\)	2/1/8 - cast	39 From:	10:00 anto	11:00 a.m.
Type of In ISS: Record Rev	specti Sampli view: _	on ng: Ci Follow-	tizen Com up to Ins	plaint: pection	Closed:	: Withdr _: Other	awal: <u>X</u>
Non Regula Small Quan	ited St	atus Clai	med Nonha	ndler: /	X Other(Spe	ecify in nar	rative): _
Notified A	ks/Regu	lated As N	fatrix Num	ber: <u>[2</u>	Key Lett	er: <u>L</u>	•
Notificati	on dat	.e, <u>11/18/</u>	go from i	nitial _	\times or subsec	quent not	ification.
Part A dat	e, <u> </u>	<u>8/80</u> , fro	m initial	or a	amended F	Part A:	
		plication		_			
Has the fi States Att IAG:	rm bee orney?	n referred yes no lounty Stat	to: USEP X es Attorn	A? yes Date of ey:	no ⊻; IA referral to	AG? yes n USEPA:	o <u>X</u> ; Coun ,
Federal Co	urt Or	der Issued	:	_ State	Court Orde	er Issued: _	
USEPA Comp	liance	Order Iss	ued:	I]	linois PCB	Order Issue	d:
SD Facility A	Activit	. Summary			•		
EETATIA(E À	0a	Activity	Was	Closed	being Done at	Exempt From Regulation	On Annual Report For
cocess Code)	Pt A	Conducted Prior to	Activity Ever		Time of	per 35 TAC,	8 18 8
		1980	Done		Inspection	Section:	
<u> </u>	<u> </u>	Υ	<u> </u>	L'A	Y	101 ICTHIN	NaNaN
TCI		<u> </u>	7	<u> Nia</u>	<u> </u>	731.103(EX)(16)	Nalkak
		Trapeless	C 7	RT P	シュースロティング		
	1		·				,

Operator: PFizer, Toc	Telephone 1: 6/8/271-47
Siree: 2001 Lynch Ave	
city: East St Louis	State: IL Zip Code: 62205
owner: Pfizer Inc	Telephone 1: 212/573-23
Street: 235 East Hznd St.	
City: New York	State: <u>NY</u> Zip Code: <u>100/7</u>
Person Interviewed	Title : Telephone #
Jeff Carlton	Safety/Environmental Engineer 1018/271-470
Chris Dorow	Safety/Environmental Engineer (018/271-4=
•	
	-
Inspection Participants	Agency/Title Telephone #
Wendy Schauselberger	TEPA/EPS 618/346-512
3	
Prepared By	Agency/Title Telephone #
Whate Chauselberger	IEPA/EPS 618/346-5120
	· · · · · · · · · · · · · · · · · · ·
	pparent Violations ass Section . Area Class Section .

Facility Name:	Pfizer, Inc.		· · · · · · · · · · · · · · · · · · ·	us	EPA - #	: <u>I</u>	Mχ	206	3/7/19	IEPA #:	16504	50034.
Naste Hame (Include haz & non-haz special & waste for which no determination has been made)	Generating Process (For waste gen. on site. N/A for TSD)	Date of Last Analy- sis	USEPA Haz Waste	0 n 8 7 0 0 - 1 2	0n 3510 -3	Rpt	Ann Fo 8_ *	r 8	Amount On Site	Rate of Gener- ation	Last Mani- fested Ship- ment	Dispoltion
Neutralizer Chanings	Metal and sludge from the Neutralizer tanks	once per year	N/A	NA	·				•	Confictential	1/30/89	haidlaw Belleville IL
Ubste Water Sludge	Treatment of waste from Iron Oxide production		N/A	Ma				·			1/30/89	BFI modern Belleville
Iron Oxide Waste	From production of Iron Oxide	waste permitted to be received by landfills		N/A		,		_=			1/30/89	Laid law Belleville IL
Lab	From Lab		NA	NA			·			less than 100 kg/	Generated internitional interpretations has withdraw part A. Inter	IWI.
Waste Oil	Maintenance of Equipment		NA	NA						Variabli =	10/15/89	Consulidated Recycling Terre Houte. Ind.
Filter Cake Sludge	Wastewater. Treatment	Special waste permitted to be recived en landil	NA	N/A						•	1/17/89	Belleville Bi-State or Laidlaw
						<u>.</u>					·	(fermitted Sor both)
				-								
				1		· .	· ·	· .				. 1

St. Clair Co. - 1630450034
East St. Louis/Pfizer
ILD006317119

FED 19 600 FED-19 600

REMARKS

On February 1, 1989, a site visit was conducted at the subject facility in conjunction with their Part A withdrawal request. Pfizer Pigments, Inc. in East St. Louis manufactures a variety of iron oxide products. Representing the facility were Jeff Carlton and Chris Dorow. The iron oxide products are used primarily as raw materials in the coating and magnetic tape industries. The facility uses spent pickle liquor from steel operations (KO62) as a substitute for virgin acid in the production of the iron oxide. The iron oxide process consists of the following operations. Scrap iron is dissolved in an acid source (sulfuric or hydrochloric acid). The acid used can be either virgin acid or spent pickle liquor. This is called the neutralization step and it takes place in large heated reactor tanks called neutralizers. The acid is neutralized by the scrap iron. The reaction continues until the pH of the solution exceeds 4.0. The solution is then placed in clarification tanks to settle out the suspended solids caused by various impurities. The settled solids are then transferred to the wastewater treatment operation where lime is added in order to increase the pH to 7-8. The neutralized wastewater is pumped to a clarifier, where the solids settle out. The solids are dewatered and disposed of at a landfill as a special, non-hazardous waste. The effluent from the clarifiers goes to the American Bottoms Regional Wastewater Treatment Plant in Sauget. After the solids are removed the solution is pumped to storage tanks. The iron oxide is precipitated, settled, washed on vacuum and pressure filters, dried, and packed for shipment. The wastes generated by the iron oxide production process would be the same whether virgin acid or spent pickle liquor (KO62) were used.

When RCRA was passed in 1976 the facility was classified as a solid waste management site due to the neutralization processes conducted on the spent pickle liquor. The appropriate permits were applied for and granted. However, new regulations were adopted by the USEPA in 1985 to encourage the beneficial reuse of hazardous waste and adopted thereafter by Illinois. Due to the fact the facility utilizes the spent pickle liquor in the same manner as it would use virgin acid, it is exempt from TSD regulations by Ill. Adm. Title 35, Section 721.102(e)(1)(B). The facility should be reclassified as generator only status and the Part A withdrawn. The facility is retaining generator status in case the need arises to manifest hazardous waste. Currently though, the facility is a non-handler. See the attached letter dated March 22, 1988, from the Permit Section.

A site tour was taken of the iron oxide production units and a review of the other waste streams generated by the facility was conducted. Other waste streams generated by the facility include Neutralizer Cleanings, Wastewater Sludge, and Iron Oxide Waste. All three of these are permitted as non-hazardous special waste and disposed of in one of the following landfills: BFI Modern, or Laidlaw of Belleville. The facility also generates a small quantity of lab waste which is incinerated at TWI in Sauget, and waste oil which is shipped to Consolidated Recycling in Terre Haute, IN. From observations made during this inspection, the facility apparently does not handle hazardous waste with the exception of a small quantity of lab waste.

WGS:pbo/0307L